

Material Safety Data Sheet

22 September 2004 www.bugcon.com

# HATARI aerosol-domestic

#### SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

EMERGENCY TELEPHONE NUMBER In case of medical environmental or transportation emergencies or inquiries. call 1-800-471-0660 (24 hours day). PRODUCT NAME......HATARI FORMULATION #.....012-6-129. CHEMICAL FAMILY ......D-TRANS ALLETHRIN/PERMETHRIN/MGK264. TRADE NAMES & SYNONYMS.....SAME AS PRODUCT NAME. PRODUCT USES.....INSECTICIDE. CHEMICAL FORMULA.....MIXTURE. MOLECULAR WEIGHT ......NOT APPLICABLE. T.D.G. CLASSIFICATION.....CONSUMER COMMODITY. WHMIS CLASSIFICATION.....NOT APPLICABLE. CNFC SECTION 3.3.5....LEVEL 1. NFPA CODE 30B.....LEVEL 1. HMIS RATING FLAMMABILITY ......1 SLIGHT HAZARD. HMIS RATING HEALTH......2 MODERATE HAZARD. HMIS RATING REACTIVITY ......0 MINIMAL HAZARD. PRODUCT DESCRIPTION: HATARI is a ready-to-use AEROSOL insecticide for domestic use both indoors and outdoors.

#### SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

% CAS / TLV LD/50, ROUTE, SPECIES LC/50, ROUTE, SPECIES ISOPARAFFINIC HYDROCARBONS 1-5 64742-47-8 N/A 100 ppm

D-TRANS ALLETHRIN 0.050 28434-00-6 709-1042 mg/kg >2000 mg/m3 (24 H) N\ A ORAL - RAT INHAL - RAT

N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE 0.250 113-48-4 4980 mg/kg 4080 mg/L ORAL - RAT INHAL - RAT

 PERMETHRIN

 0.200
 52645-53-1
 >2500 mg/kg
 N\ A
 N\A
 ORAL - RAT

 DIMETHYL ETHER

 10-30
 115-10-6
 N\A
 164000 ppm (4h)
 1000 ppm RAT - INHAL

# SECTION 3. PHYSICAL

EMERGENCY OVERVIEW PHYSICAL STATE......AEROSOL. BOILING POINT (DEG C)(CONC)......100 - 205. VAPOUR PRESSURE(PSIG)-AEROSOL.....30 - 40. @ 20 C VAPOUR DENSITY (AIR=1)......GREATER THAN 1. (BY WEIGHT) SOLUBILITY IN WATER.....SOLUBLE. APPEARANCE......MILKY WHITE. ODOR......INSECTICIDE. ODOR THRESHOLD......NOT AVAILABLE.



Material Safety Data Sheet

22 September 2004 www.bugcon.com

e-mail:glx@bugcon.com WWW SPECIFIC GRAVITY (LIQUID)......0.95-0.99. SPECIFIC GRAVITY (AEROSOL)......0.89-0.93. AEROSOL PERCENT VOC (W/W)......16-17. AEROSOL PERCENT VOLATILE.......95-96. (BY WEIGHT) EVAPORATION RATE.....LESS THAN 1. n-BUTYL ACETATE = 1 pH......9-10. FREEZING POINT: (C).....NOT AVAILABLE. COEFFICIENT OF WATER\OIL.....NOT AVAILABLE.

# SECTION 4. FIRE AND EXPLOSION DATA

PCP 24307

AEROSOL FLAME PROJECTION CLASSIFIED AS:.....0 CM. FLASHBACK.....NONE. FLAMMABILITY.....NON-FLAMMABLE. IF YES, UNDER WHICH .... EXCESSIVE HEAT, SPARKS AND OPEN FLAME. CONDITIONS ? EXTINGUISHING MEDIA.....CARBON DIOXIDE, DRY CHEMICAL, FOAM. SPECIAL PROCEDURES......WATER FROM FOGGING NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO EXTREME TEMPERATURES.FULL PROTECTIVE EOUIPMENT INCLUDING SELF CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A FIRE INVOLVING THIS MATERIAL. FLASH POINT(C), TAG CLOSED-CUP......>43. (CONCENTRA TE) AUTO IGNITION TEMPERATURE (C).....NOT AVAILABLE. LOWER FLAMMABLE LIMIT.....1. (% BY VOLUME) UPPER FLAMMABLE LIMIT......18.0. (% BY VOLUME) HAZARDOUS COMBUSTION PRODUCTS...HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE. EXPLOSION DATA SENSITIVITY TO STATIC.....NOT APPLICABLE. DISCHARGE

# **SECTION 5. REACTIVITY DATA**

CHEMICAL STABILITY: YES.....UNDER NORMAL CONDITIONS. NO, WHICH CONDITIONS?.....NOT APPLICABLE. COMPATABILITY WITH OTHER SUBSTANCES : NO, WHICH ONES?.....STRONG OXIDIZING AGENTS. HAZARDOUS PRODUCTS OF DECOMPOSITION...HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE. HAZARDOUS POLYMERIZATION......WILL NOT OCCUR. REACTIVITY CONDITIONS?......NOT APPLICABLE.

# **SECTION 6. TOXICOLOGICAL PROPERTIES**

ROUTE OF ENTRY: SKIN CONTACT......MAY CAUSE IRRITATION. SKIN ABSORPTION....NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE. EYE CONTACT......MAY CAUSE IRRITATION. INHALATION.....INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT. INGESTION......MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS. EFFECTS OF ACUTE EXPOSURE:..DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES.



Juguer	PCP 24	4307	Material Safety Data S	Sheet	22 September 2004
e-mail:glx@bugcon.c	com				www.bugcon.com
EFFECTS OF CHRONIC EXPOSURESOLVENTS MAY CAUSE DEFATTING DERMATITIS.					
EXPOSURE LIMIT OF MATERIALSEE SECTION II.					
IRRITANCY OF MATERIALSLIGHT.					
SENSITIZING CAPABILITY OFUNKNOWN MATERIAL					
CARCINOGENICITY OF MATERIALTHE INGREDIENTS OF THIS PRODUCT ARE NOT					
LISTED AS CARCINOGENS BY NTP, (NATIONAL					
TOXICOLOGY PROGRAM), NOT REGULATED AS					
CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY					
AND HEALTH ADMINISTRATION), AND HAVE NOT					
BEEN EVALUATED BY IARC, (INTERNATIONAL					
AGENCY FOR RESEARCH ON CANCER), NOR BY					
ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL					
	DUSTRIA		,		
			NFORMATION IS AVAILA		D NO ADVERSE
			FECTS ARE ANTICIPATE		
TERATOGENICITYNO INFORMATION IS AVAILABLE AND NO ADVERSE					
TERATOGENIC EFFECTS ARE ANTICIPATED.					
MUTAGENICITYNO INFORMATION IS AVAILABLE AND NO ADVERSE					
MUTAGENIC EFFECTS ARE ANTICIPATED.					
SYNERGISTIC MATERIALSNONE KNOWN.					

#### **SECTION 7. PREVENTIVE MEASURES**

GLOVES/ TYPE.....NOT NORMALLY REQUIRED. RESPIRATORY/TYPE.....NOT NORMALLY REQUIRED. EYE/TYPE.....SAFETY GLASSES. FOOTWEAR/TYPE.....NOT NORMALLY REQUIRED. OTHER/TYPE.....NOT REQUIRED. ENGINEERING CONTROLS ...... VENTILATION - LOCAL (MECHANICAL IF USED INDOORS ON A CONTINUOUS BASIS). LEAK/SPILL.....REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. AVOID BREATHING FUMES. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE. HANDLING PROCEDURES AND EOUIPMENT ... STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C. WASTE DISPOSAL ......DO NOT PUNCTURE OR INCINERATE CONTAINERS, EVEN WHEN EMPTY.DISPOSE OF IN ACCORDANCE WITH LOCAL, PROVINCIAL AND FEDERAL REGULATIONS. STORAGE NEEDS ..... KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. SPECIAL SHIPPING INSTRUCTIONS......SEE SECTION 1.....TDG CLASSIFICATION

#### SECTION 08: FIRST AID MEASURES

EMERGENCY FIRST AID PROCEDURE....IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.



PCP 24307 Material Safety Data Sheet

22 September 2004 www.bugcon.com

e-mail:glx@bugcon.com

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE milky white liquid.

# ODORMild aromaticBASIC PHYSICAL PROPERTIES

DASIC FILISICAL PROPERTIESPHYSICAL STATE Liquid ph: Neutral (6 - 8)VAPOR PRESSURE: Not availableVAPOR DENSITY (AIR=1): Not availableEVAPORATION RATE (BUTYL ACETATE=1): Not AvailableSPECIFIC GRAVITY OR DENSITY: 1.00 @ 20° CPACKING (BULK) DENSITY: Not availableBOILING POINT/RANGE: Not availableBOILING POINT/RANGE: Not availableSOLUBILITY (IN WATER): Not availableSOLUBILITY IN SOLVENTS/OIL (SPECIFIED): Not availableDUST EXPLOSION SEVERITY DATA: Not applicableMINIMUM IGNITION ENERGY (MJ): Not availableMINIMUM EXPLOSION CONCENTRATION (MEC): Not availableLIMITED OXYGEN CONCENTRATION (LOC): Not available

#### SECTION 10: ADDITIONAL INFORMATION

THE INFORMATION ON THIS MATERIAL SAFETY NOTICE FROM **NPI & BUGCON** DATA SHEET IS PROVIDED BY **NPI & BUGCON** FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK.

**NPI & BUGCON** ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

#### **DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES**

This information is provided in good Faith out express or implied warranty Buyer assumes all responsibility for safety and use not in accordance with label instructions.