

Material Safety Data Shee Monday, January 02, 2006

www.bugcon.com



aerosol-domestic

SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

EMERGENCY TELEPHONE NUMBER In case of medical environmental or transportation emergencies or inquiries. call 1-800-471-0660 (24 hours day). CANUTEC EMERGENCY #:1-613-996-6666 (24HR) PRODUCT NAME..... same as above FORMULATION #.....BANISH CHEMICAL FAMILYD-TRANS ALLETHRIN/PIPERONYL BUTOXIDE. TRADE NAMES & SYNONYMS.....SAME AS PRODUCT NAME. PRODUCT USES.....INSECTICIDE. CHEMICAL FORMULA.....NOT APPLICASBLE. MOLECULAR WEIGHTNOT APPLICABLE. T.D.G. CLASSIFICATION.....CONSUMER COMMODITY. WHMIS CLASSIFICATION.....NOT APPLICABLE. CNFC SECTION 3.3.5....LEVEL 1. NFPA CODE 30B.....LEVEL 1. HMIS RATING FLAMMABILITY1 SLIGHT HAZARD. HMIS RATING REACTIVITY1 SLIGHT HAZARD.

SECTION 02: HAZARDOUS INGREDIENTS

% CAS / TLV LD/50, ROUTE, SPECIES LC/50, ROUTE, SPECIES INHAL - RAT D-TRANS ALLETHRIN 0.200 28434-00-6 709-1042 mg/kg >2000 mg/m3 (24 H) N/A ORAL - RAT PIPERONYL BUTOXIDE 1.000 51-03-6 7.5-10.0 g/kg N/A ORAL-RAT 7-13 67-63-0 >4720 mg/kg 12000 ppm (8hr)400 ppm ORAL- RAT INHAL RAT ISOPROPANOL DIPROPYLENE GLYCOL 3-7 25265-71-8 14,800 mg/kg N/A **ORAL - RAT** DIMETHYL ETHER 15-40 115-10-6 N/A 164000 ppm (4h) 1000 ppm RAT - INHAL

SECTION 03: PHYSICAL DATA

PHYSICAL STATE.....AEROSOL. BOILING POINT (DEG C)(CONC).......83-232. VAPOUR PRESSURE(PSIG)-AEROSOL......45 - 55. @ 20 C VAPOUR DENSITY (AIR=1).....GREATER THAN 1. (BY WEIGHT) SOLUBILITY IN WATER.....NOT AVAILABLE. APPEARANCE.....YELLOW EMULSION. ODOR.....INSECTICIDE. ODOR THRESHOLD NOT AVAILABLE. SPECIFIC GRAVITY (LIQUID)......0.95-0.99. SPECIFIC GRAVITY (AEROSOL)......0.83-0.87. AEROSOL PERCENT VOC (W/W)......42-43. (BY WEIGHT) EVAPORATION RATE.....GREATER THAN 1 pH.....8-9. n-BUTYL ACETATE = 1 FREEZING POINT: (C).....NOT AVAILABLE. COEFFICIENT OF WATER\OIL.....NOT AVAILABLE. DIST.

SECTION 04: FIRE & EXPLOSION DATA

AEROSOL FLAME PROJECTION CLASSIFIED AS:.....0 CM. FLASHBACK.....NONE.



www.bugcon.com

FLAMMABILITYNON-FLAMMABLE. IF YES, UNDER WHICHEXCESSIVE HEAT, SPARKS AND OPEN FLAME. CONDITIONS ?
EXTINGUISHING MEDIACARBON DIOXIDE, DRY CHEMICAL, FOAM.
SPECIAL PROCEDURESWATER FROM FOGGING NOZZLES MAY BE USED TO COOL
CLOSED CONTAINERS TO PREVENT BUILD-UP IF EXPOSED TO
EXTREME TEMPERATURES.FULL PROTECTIVE EQUIPMENT
INCLUDING SELF
CONTAINED BREATHING APPARTATUS SHOULD BE WORN IN A
FIRE INVOLVING THIS MATERIAL.
FLASH POINT (C), TAG CLOSED14-121.CUP
AUTO IGNITION TEMPERATURE (C)399.
LOWER FLAMMABLE LIMIT2.0 (% BY VOLUME)
UPPER FLAMMABLE LIMIT18.0. (% BY VOLUME)
HAZARDOUS COMBUSTION
PRODUCTSHYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION
IS INCOMPLETE.
EXPLOSION DATA SENSITIVITY TO STATICNOT APPLICABLE.
DISCHARGE SENSITIVITY TO IMPACTNOT APPLICABLE.
SECTION 05: REACTIVITY DATA

CHEMICAL STABILITY: YES......UNDER NORMAL CONDITIONS. NO, WHICH CONDITIONS?......NOT APPLICABLE. COMPATABILITY WITH OTHER SUBSTANCES : NO, WHICH ONES?.....STRONG OXIDIZING AGENTS. HAZARDOUS PRODUCTS OF DECOMPOSITION.....HYDROCARBON FUMES AND SMOKE. CARBON MONOXIDE WHERE COMBUSTION IS INCOMPLETE. REACTIVITY CONDITIONS?......NOT APPLICABLE.

SECTION 06: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:

SKIN CONTACT......MAY CAUSE IRRITATION.

SKIN ABSORPTION......NO DATA AVAILABLE FOR THIS PRODUCT MIXTURE.

EYE CONTACT.....VAPOUR MAY IRRITATE.

INHALATION......INHALATION OF SOLVENTS MAY CAUSE IRRITATION. PROPELLANT IS A SIMPLE ASPHYXIANT.

INGESTION......MAY CAUSE HEADACHE, NAUSEA, VOMITING AND WEAKNESS. EFFECTS OF ACUTE EXPOSURE......DIZZINESS, NAUSEA. IRRITATION TO SKIN & EYES. EFFECTS OF CHRONIC EXPOSURE......SOLVENTS MAY CAUSE DEFATTING DERMATITIS. EXPOSURE LIMIT OF MATERIAL......SEE SECTION II.

IRRITANCY OF MATERIAL.....SLIGHT.

SENSITIZING CAPABILITY OF......UNKNOWN.

MATERIAL CARCINOGENICITY OF MATERIAL......THE INGREDIENTS OF THIS PRODUCT ARE NOT LISTED AS CARCINOGENS BY NTP, (NATIONAL TOXICOLOGY PROGRAM), NOT REGULATED AS CARCINOGENS BY OSHA, (OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION), AND HAVE NOT BEEN EVALUATED BY IARC,(INTERNATIONAL AGENCY FOR RESEARCH ON CANCER), NOR BY ACGIH (AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS). REPRODUCTIVE EFFECTS......NO INFORMATION IS AVAILABLE AND NO ADVERSE REPRODUCTIVE EFFECTS ARE ANTICIPATED.



PCP 28161 Material Safety Data Shee Monday, January 02, 2006

www.bugcon.com

TERATOGENICITY......NO INFORMATION IS AVAILABLE AND NO ADVERSE TERATOGENIC EFFECTS ARE ANTICIPATED. MUTAGENICITY.....NO INFORMATION IS AVAILABLE AND NO ADVERSE MUTAGENIC EFFECTS ARE ANTICIPATED.

3

SYNERGISTIC MATERIALS......NONE KNOWN.

SECTION 07: PREVENTIVE MEASURES

GLOVES/ TYPE......NOT NORMALLY REQUIRED. RESPIRATORY/TYPE.....NOT NORMALLY REQUIRED. EYE/TYPE.....SAFETY GLASSES. FOOTWEAR/TYPE.....NOT NORMALLY REQUIRED. OTHER/TYPE.....NOT REQUIRED. A CONTINUOUS BASIS). LEAK/SPILL:....REMOVE ALL SOURCES OF IGNITION. USE AN INERT ABSORBENT MATERIAL, AND NON-SPARKING TOOLS. AVOID BREATHING FUMES. VENTILATE AREA. PREVENT FROM ENTERING A WATERCOURSE. HANDLING PROCEDURES AND EQUIPMENT STORE IN A COOL, WELL VENTILATED AREA NOT TO EXCEED 50 DEG C. EVEN WHEN EMPTY. DISPOSE OF IN ACCORDANCE WITH LOCAL. PROVINCIAL AND FEDERAL REGULATIONS. STORAGE NEEDS......KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES.

SPECIAL SHIPPING INSTRUCTIONS......SEE SECTION 1.....TDG CLASSIFICATION.

SECTION 08: FIRST AID MEASURES

EMERGENCY FIRST AID

PROCEDURE......IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION. FOR SKIN, WASH THOROUGHLY WITH SOAP AND WATER. IF AFFECTED BY INHALATION OF VAPOUR OR SPRAY MIST, REMOVE TO FRESH AIR. IF SWALLOWED; DO NOT INDUCE VOMITING, GET MEDICAL ATTENTION.

SECTION 09: ADDITIONAL INFORMATION

THE INFORMATION ON THIS MATERIAL SAFETY

NOTICE FROM **ZEP & OR GLX –BUGCON** DATA SHEET IS PROVIDED BY **ZEP & OR GLX –BUGCON** FREE OF CHARGE. WHILE BELIEVED TO BE RELIABLE, IT IS INTENDED FOR USE BY SKILLED PERSONS AT THEIR OWN RISK.

ZEP & OR GLX –BUGCON ASSUMES NO RESPONSIBILITY FOR EVENTS RESULTING OR DAMAGES INCURRED FROM ITS USE. THE INFORMATION ON THIS MATERIAL SAFETY DATA SHEET RELATES ONLY TO THE SPECIFIC MATERIAL DESIGNATED HEREIN AND DOES NOT RELATE TO USE IN COMBINATION WITH ANY OTHER MATERIAL OR IN ANY PROCESS.

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

This information is provided in good Faith out express or implied warranty Buyer assumes all responsibility for safety and use not in accordance with label instructions.